L Number	Hits	Search Text	DB	Time stamp
- ;	2	"20020179812"	USPAT;	2004/02/13 09:40
·			US-PGPUB;	•
,			EPO; JPO;	•
į į			DERWENT; -	
ĺ	•		IBM TDB	
-	164	scharff.in.	USPAT;	2004/02/13 09:41
			US-PGPUB:	
			EPO; JPO;	
	•		DERWENT;	
			IBM TDB	
-	1218	scharf.in.	USPĀT;	2004/02/13 09:41
	-	John Marian	US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	
	•		IBM_TDB	
-	736	mixing and electron and beam and shadow\$1 and color	USPĀT;	2004/02/13 09:42
			US-PGPUB;	
	•		EPO; JPO;	
	•		DERWENT;	
			IBM TDB	
l	277	(mixing and electron and beam and shadow\$1 and color) and mixing	USPAT;	2004/02/13 11:58
	2	same color	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1 - 1	. 5	5212383.uref.	USPAT;	2004/02/13 12:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l	2409	(((electron adj microscope) or SEM or TEM) AND (stereovision or	USPAT;	2004/02/13 12:30
	,	stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	
i		stereo) or ((three NEAR2 demension\$3) or three-demension\$3 or 3D or	EPO; JPO;	
		3-D)) And ((beam or ebeam or e-beam) SAME (tilt\$5 or ang\$5) SAME	DERWENT;	
		(specimen or sample or object))	IBM_TDB	
-	. 1211	(((electron adj microscope) or SEM or TEM) AND (stereovision or	USPĀT;	2004/02/13 12:30
		stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	
		stereo) or ((three NEAR2 demension\$3) or three-demension\$3 or 3D or	EPO; JPO;	
		3-D)) And ((beam or ebeam or e-beam) WITH (tilt\$5 or ang\$5) WITH	DERWENT;	
		(specimen or sample or object))	IBM_TDB	
	634	(((electron adj microscope) or SEM or TEM) AND (stereovision or	USPĀT;	2004/02/13 12:31
	,	stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	
		stereo) or ((three NEAR2 demension\$3) or three-demension\$3 or 3D or	EPO; JPO;	
1		3-D)) And ((beam or ebeam or e-beam) near5 (tilt\$5 or ang\$5) near5	DERWENT;	
		(specimen or sample or object))	IBM_TDB	
	. 624	(((electron adj microscope) or SEM or TEM) AND (stereovision or	USPAT;	2004/02/13 12:32
1		stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	
į		(stereo near3 image\$3)) or ((three NEAR2 demension\$3) or	EPO; JPO;	
1		three-demension\$3 or 3D or 3-D)) And ((beam or ebeam or e-beam)	DERWENT;	
1		near5 (tilt\$5 or ang\$5) near5 (specimen or sample or object))	IBM_TDB	
-	142305	(((electron adj microscope) or SEM or TEM) AND (stereovision or	USPĀT;	2004/02/13 12:31
1		stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	
i l		(stereo near3 image\$3)) or ((three NEAR2 demension\$3) or	EPO; JPO;	
1		three-demension\$3 or 3D or 3-D))	DERWENT;	
i l		"	IBM_TDB	
i - I	162	(((electron adj microscope) or SEM or TEM) AND (stereovision or	USPĀT;	2004/02/13 12:36
i l	•	stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	
į l		(stereo near3 image\$3)) or ((three NEAR2 demension\$3) or	EPO; JPO;	
1		three-demension\$3 or 3D or 3-D)) And ((beam or ebeam or e-beam)	DERWENT;	
į l		near2 (tilt\$5 or ang\$5) near2 (specimen or sample or object))	IBM_TDB	

	,			2004/02:1
-	49	(((electron adj microscope) or SEM or TEM) AND ((stereovision or stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	USPAT; US-PGPUB;	2004/02/13 12:37
		(stereo near3 image\$3)) or ((three NEAR2 demension\$3) or	EPO; JPO;	•
		three-demension\$3 or 3D or 3-D))) And ((beam or ebeam or e-beam)	DERWENT;	
		near2 (tilt\$5 or ang\$5) near2 (specimen or sample or object))	IBM_TDB	
-	49	(((electron adj microscope) or SEM or TEM) AND ((stereovision or	USPAT;	2004/02/18 18:17
		stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	
		(stereo near3 image\$3)) or ((three NEAR2 demension\$3) or	EPO; JPO;	
	•	three-demension\$3 or 3D or 3-D))) And ((beam or ebeam or e-beam)	DERWENT;	
		near2 (tilt\$5 or ang\$5) near2 (specimen or sample or object)) And	IBM_TDB	
		(((electron aid beam) or ebeam or e-beam) WITH (specimen or sample or	!	:
	2954	object)) 250/306	USPAT;	2004/02/13 12:42
-	2934	230/300	US-PGPUB;	2004/02/13 12.42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2251	250/307	USPĀT;	2004/02/13 12:42
	,		US-PGPUB;	
			EPO; JPO;	
	*		DERWENT;	
			IBM_TDB	2004/02/12 12 42
-	2528	250/310	USPAT;	2004/02/13 12:42
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3385	250/311	USPAT;	2004/02/13 12:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	000440041040
-	713	250/442.11	USPAT;	2004/02/13 12:43
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1384	250/397	USPAT;	2004/02/13 12:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		4	IBM_TDB	2004/02/12 12 12
-	3405	250/396r	USPAT;	2004/02/13 12:43
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	55	(250/306 or 250/307 or 250/310 or 250/311 or 250/442.11 or 250/397 or	USPAT;	2004/02/13 12:44
		250/396r) and ((((electron adj microscope) or SEM or TEM) AND	US-PGPUB;	
		(stereovision or stereoscopic or stereo-meter or parallax or stereoimage or	EPO; JPO;	
		stereo-image or stereo) or ((three NEAR2 demension\$3) or	DERWENT;	
		three-demension\$3 or 3D or 3-D)) And ((beam or ebeam or e-beam)	IBM_TDB	
		near5 (tilt\$5 or ang\$5) near5 (specimen or sample or object)))		
-	15	4039829.uref.	USPAT;	2004/02/13 17:27
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	i	1	מסוי_ויינטי	i

	24	(250/306 or 250/307 or 250/310 or 250/311 or 250/442.11 or 250/397 or	USPAT;	2004/02/13 17:54
•	. 24	250/396r) and ((((electron adj microscope) or SEM or TEM) AND	US-PGPUB;	2004/02/13 17:54
		((stereovision or stereoscopic or stereo-meter or parallax or stereoimage	EPO; JPO;	
		or stereo-image or (stereo near3 image\$3)) or ((three NEAR2	DERWENT;	
		demension\$3) or three-demension\$3 or 3D or 3-D))) And ((beam or	IBM_TDB	
		ebeam or e-beam) near2 (tilt\$5 or ang\$5) near2 (specimen or sample or		•
		object)) And (((electron ajd beam) or ebeam or e-beam) WITH (specimen		
		or sample or object)))		
-	10848	(stereovision or stereoscopic or stereo-meter or parallax or stereoimage or	USPAT;	2004/02/13 17:55
		stereo-image or (stereo near3 image\$3)).ti.	US-PGPUB;	
			EPO; JPO;	
	'		DERWENT; IBM TDB	
_	22	(250/306 or 250/307 or 250/310 or 250/311 or 250/442.11 or 250/397 or	USPAT;	2004/02/13 17:55
		250/396r) and ((stereovision or stereoscopic or stereo-meter or parallax	US-PGPUB;	2004/02/13 17.33
		or stereoimage or stereo-image or (stereo near3 image\$3)).ti.)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
-	31	("4426577" "4434367" "4896036" "4962313" "4963748" "5221844"	USPAT;	2004/02/18 17:08
]		"5258617" "5483073" "5510617" "5578822" "5892224" "5894124"	US-PGPUB;	
	1	"6531697").pn.	EPO; JPO;	
			DERWENT;	
_	4839	(((electron adj microscope) or SEM or TEM) AND ((stereovision or	IBM_TDB USPAT;	2004/02/18 18:20
_	4637	stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	2004/02/18 18.20
	-7-	(stereo near3 image\$3)) or ((three NEAR2 demension\$3) or	EPO; JPO;	
		three-demension\$3 or 3D or 3-D)))	DERWENT;	
		<i>""</i>	IBM_TDB	
-	311	Measur\$6 WITH template WITH reference	USPAT;	2004/02/18 18:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	((((electron adj microscope) or SEM or TEM) AND ((stereovision or	IBM_TDB USPAT;	2004/02/18 18:20
-	•	stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or	US-PGPUB;	2004/02/18 18.20
		(stereo near3 image\$3)) or ((three NEAR2 demension\$3) or	EPO; JPO;	
		three-demension\$3 or 3D or 3-D)))) and (Measur\$6 WITH template	DERWENT;	
		WITH reference)	IBM_TDB	
-	4478	Measur\$6 WITH template	USPAT;	2004/02/18 18:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	1028	Measur\$6 SAME template SAME reference	USPAT;	2004/02/18 19:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	4	(Measur\$6 SAME template SAME reference) and ((((electron adj	USPAT;	2004/02/18 18:21
		microscope) or SEM or TEM) AND ((stereovision or stereoscopic or stereo-meter or parallax or stereoimage or stereo-image or (stereo near3	US-PGPUB;	
		image\$3)) or ((three NEAR2 demension\$3) or three-demension\$3 or 3D	EPO; JPO; DERWENT;	
		or 3-D))))	IBM_TDB	
_	28	(Measur\$6 WITH template) and ((((electron adj microscope) or SEM or	USPAT;	2004/02/18 18:23
		TEM) AND ((stereovision or stereoscopic or stereo-meter or parallax or	US-PGPUB;	
		stereoimage or stereo-image or (stereo near3 image\$3)) or ((three NEAR2	EPO; JPO;	
		demension\$3) or three-demension\$3 or 3D or 3-D))))	DERWENT;	
	11102	250/200 - 250/200 - 250/210 - 250/211 - 250/440 11 - 250/200	IBM_TDB	2004/02/15 10.55
-	11193	250/306 or 250/307 or 250/310 or 250/311 or 250/442.11 or 250/397 or	USPAT;	2004/02/18 18:25
		250/396r	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	

•	1	(250/306 or 250/307 or 250/310 or 250/311 or 250/442.11 or 250/397 or	USPAT;	2004/02/18 18:25
	*	250/396r) and ((Measur\$6 WITH template) and ((((electron adj	US-PGPUB;	
		microscope) or SEM or TEM) AND ((stereovision or stereoscopic or	EPO; JPO;	•
		stereo-meter or parallax or stereoimage or stereo-image or (stereo near3	DERWENT;	
	1	image\$3)) or ((three NEAR2 demension\$3) or three-demension\$3 or 3D	IBM_TDB	
		or 3-D)))))		-
	2	4221965.pn.	USPAT;	2004/02/18 18:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	. 13	4725730.uref.	USPAT;	2004/02/18 18:35
			US-PGPUB;	
	į		EPO; JPO;	
			DERWENT;	
	ŀ		IBM_TDB	
	1	"4512847".PN.	USPAT	2004/02/18 18:37
	7	(Measur\$6 SAME template SAME reference) and (250/306 or 250/307	USPAT;	2004/02/18 19:16
	,	or 250/310 or 250/311 or 250/442.11 or 250/397 or 250/396r)	US-PGPUB;	
	*		EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
	126362	kato.in.	USPAT;	2004/02/18 19:55
			US-PGPUB;	
			EPO; JPO;	
	i		DERWENT;	
			IBM_TDB	
	47	kato.in. and ((((electron adj microscope) or SEM or TEM) AND	USPAT;	2004/02/18 19:56
		((stereovision or stereoscopic or stereo-meter or parallax or stereoimage	US-PGPUB;	
		or stereo-image or (stereo near3 image\$3)) or ((three NEAR2	EPO; JPO;	
		demension\$3) or three-demension\$3 or 3D or 3-D))))	DERWENT;	
			IBM_TDB	
	9	(kato.in. and ((((electron adj microscope) or SEM or TEM) AND	USPAT;	2004/02/18 19:56
		((stereovision or stereoscopic or stereo-meter or parallax or stereoimage	US-PGPUB;	
		or stereo-image or (stereo near3 image\$3)) or ((three NEAR2	EPO; JPO;	
		demension\$3) or three-demension\$3 or 3D or 3-D))))) and (250/306 or	DERWENT;	
		250/307 or 250/310 or 250/311 or 250/442.11 or 250/397 or 250/396r)	IBM TDB	